

In the Claims

Claims 1-20 were originally submitted.

Claims 1, 8, 16, 18, and 20 are currently amended.

Claims 2-7, 9-15, and 17 are cancelled herein.

1. **(Currently Amended)** A one piece multi-purpose hand tool,
comprising:
a socket body having a socket at a first end, wherein the socket defines an
opening for receiving a second tool;
a plastic sheathing around the socket body;
a hex key tip; and
an arm portion connected between a second end of the socket body and the
key tip, wherein the arm portion defines an opening to receive a torque arm
device, wherein the opening extends partially through the arm portion,
wherein the socket body, the key tip, and the arm portion are of one piece,
unitary construction, wherein the key tip defines a notch in an end of the key tip
opposite the arm portion, and wherein the tool includes a material selected from
the group consisting of metal, metal alloys, steel and steel alloys.

2. – 7. **(Cancel).**

1 8. **(Currently Amended)** A one piece multi-purpose hand tool,
2 comprising:
3 means for torquing a first female fastener, wherein the means for torquing
4 includes a key tip that further includes a hex key;
5 means for socket wrenching a second fastener, wherein the means for
6 socket wrenching includes a socket body having a socket;
7 a plastic sheathing around the socket body; and
8 an arm portion connected between the means for torquing and the means
9 for socket wrenching, wherein the arm portion defines an opening to receive a
10 torque arm device, wherein the opening extends partially through the arm portion,
11 and wherein the arm portion is multi-sided;
12 wherein the key tip defines a notch in an end of the key tip opposite the arm
13 portion; and
14 wherein the means for torquing, the means for socket wrenching, and the
15 arm portion are of one piece, unitary construction.

16
17 9. – 15. **(Cancel).**
18
19
20
21
22
23
24
25

1 16. **(Currently Amended)** A set of tools, comprising:

2 a first tool including a first socket body having a first socket, a first hex key
3 tip, and a first arm portion connected between the first socket body and the first
4 key tip, wherein the first arm portion includes a torque arm opening to receive a
5 torque arm device, and wherein the first socket body defines a first opening,
6 wherein the first tool includes a plastic sheathing around the first socket body, and
7 wherein the first key tip defines a first notch in an end of the first key tip opposite
8 the first arm portion; and

9 at least a second tool that is identical to the first tool, wherein the second
10 tool includes~~ing~~ a second socket body having a second socket, a second hex key
11 tip, and a second arm portion connected between the second socket body and the
12 second key tip, wherein the second socket body defines a second opening, wherein
13 the second tool includes a plastic sheathing around the second socket body, and
14 wherein the second key tip defines a second notch in an end of the second key tip
15 opposite the second arm portion, wherein the second key tip and the second arm
16 portion extend into the first opening;

17 wherein the first socket body, the first key tip, and the first arm portion of
18 the first tool are of one piece, unitary construction;

19 wherein the second socket body, the second key tip, and the second arm
20 portion of the second tool are of one piece, unitary construction; and

21 wherein the second tool is removably nested within the first tool, and
22 further wherein the torque arm opening of the first arm portion remains accessible
23 to receive the torque arm device.

1 17. **(Cancel).**

2
3 18. **(Currently Amended)** The set of tools of claim ~~17~~16, wherein:
4 the second socket of the second tool defines a second opening; and
5 the size of the first opening of the first tool does not equal the size of the
6 second opening of the second tool.

7
8 19. **(Original)** The set of tools of claim 18, wherein a circumference of
9 the first key tip of the first tool does not equal a circumference of the second key
10 tip of the second tool.

11
12 20. **(Currently Amended)** The set of tools of claim 19, wherein:
13 the torque arm opening extends partially through the first arm portion;
14 ~~the first key tip includes a first hex key; and~~
15 ~~the second key tip includes a second hex key.~~